

# 3D Modelling, Simulation and Prediction of Facial Wrinkles

Sokyna Alqatawneh<sup>1</sup>, Ali Mehdi<sup>2</sup> and Thamer Al Rawashdeh<sup>3</sup>

1. Department of Multimedia Systems, Faculty of Science and Information Technology, Al-Zaytoonah University of Jordan Amman, Jordan

2. Department of Computing and Informatics, Faculty of Computing and Informatics, Saudi Electronic University, Riyadh, Saudi Arabia

3. Department of Computer Science, Faculty of Science and Information Technology, Al-Zaytoonah University of Jordan, Amman, Jordan

**Abstract:** The FA (facial ageing) process has been of a great interest to many researchers and some firms like airports and police departments, this is due to the fact that the face appearance changes as people age resulting in difficulties identifying certain individuals. In this paper, 2D wrinkle maps will be used in the design of a 3D system for the purpose of facial wrinkles simulation and prediction. Our findings will challenge many commercial softwares in the innovation of the techniques in setting solid grounds to generate real-time 3D wrinkles that can be used later for various reasons. The 2D binary wrinkles will be mapped on the corresponding 3D face models using the generated outlined images. NURBS curves will then be projected on those wrinkles to form a 3D wrinkle map. The coloured wrinkle map, as well as some parameters, will be combined together in an algorithm to predict the appearance of the individual wrinkles in every age group that are divided into decades, starting from the age of 20. The novelty of the adopted procedure in comparison to the previous works is the new elements that have been integrated and collaborated to boost accuracy and generate a more realistic outcome.

**Key words:** Facial aging, facial wrinkles, wrinkle maps, 3D wrinkle modelling.

## 1. Introduction

FA process has been of a great interest to many researchers and some firms like airports and police departments; this is due to the fact that the face appearance changes as people age resulting in difficulties identifying certain individuals. FA research is a form of FR (facial recognition) and the main reason for facial recognition is delivered from the forensic needs to identify victims or suspects [1]. The human brain has the ability and capacity to quickly distinguish between known and unknown faces. The biggest advantage of using the face (over other parts of the human body) in many applications is that wherever a person may be, the face is also there.

---

**Corresponding author:** Sokyna Alqatawneh, Ph.D., assistant professor, research fields: digital image processing, pattern recognition. E-mail: S.Qatawneh@zuj.edu.jo.

Moreover, the face carries a significant number of features that identify individuals such as gender, emotional state, ethnic origin, age. The available facial ageing simulation and prediction technologies lack in simulation accuracy, especially when simulating the appearance of wrinkles. This might be due to the fact that wrinkles appear in different locations on human faces and the amount of change in their development also differs. Failing to simulate the wrinkles in real-time can have a direct impact on the ageing prediction accuracy as wrinkles play a vital role as a major ageing feature.

One of the most popular 2D facial ageing simulation systems is the April Age Progression Software 'age-me' [2]; on the other hand, FaceGen [3] is a widely known 3D face generator modelling software that includes an embedded ageing system.

Both softwares are available for commercial purposes and share the disadvantage of generating wrinkles based on assumptions and no real data is considered. Our findings will challenge both commercial softwares in the innovation of the techniques in setting solid grounds to generate real-time 3D wrinkles that can be used later for various reasons that may include security, 3D facial ageing simulation systems, facial animation, etc..

This work will commence by generating a 3D face model for any given individual. 2D binary wrinkles will be mapped on the corresponding 3D face models using the generated outlined images. NURBS curves will then be projected on those wrinkles to form a three-dimensional wrinkle map. The coloured wrinkle map, as well as some parameters, will be combined together in an algorithm to predict the appearance of the individual wrinkles in every age group that are divided into decades, starting from the age of 20.

In the following section, a review of related literature will be presented, while Section 3 explains the work methodology, in which the 3D models as well as the 3D face mesh processing are acquired, texture mapping and wrinkles construction are discussed. The results of the simulations and predictions are presented in Section 4. Finally, Section 5 will conclude the findings on the 3D modelling, simulation and prediction of facial wrinkles.

## 2. Related Work

In addition to the fact that facial wrinkle appearance is a vital sign of ageing, it also plays an important feature in presenting FE; therefore, it became the focus of a number of FE research.

Yin and Basu [4] presented a partial texture updating method for facial expression synthesis with facial wrinkles. Based on the observation of the wrinkle appearance and the change along with performed expressions, they extracted the partial texture information, then used the texture dissimilarity between the neutral expression and the active

expression to extract the active texture for the expression representation.

In the muscle-driven modelling of wrinkles for 3D facial expressions, Zhang [5] presented a geometric wrinkle model that was defined according to facial muscle anatomy for simulation of dynamic wrinkles within expressions.

Similar to Ref. [4], the work in Ref. [6] used facial wrinkles in synthesising and analysing FE. They developed a system to analyse subtle changes in facial expressions based on both permanent (e.g., mouth, eye, and brow) and transient (e.g., furrows and wrinkles) facial features in a nearly frontal image sequence.

For expressive facial animations, Li et al. [7] developed a method for modelling dynamic facial wrinkle. They started with structured facial mesh, then divided the face region into wrinkle sub-regions, and created some wrinkle lines with their algorithm in these sub-regions. Some key nodes were labeled on the facial mesh; these key nodes affect wrinkle lines if wrinkle lines located in the sub-regions that abut on the key nodes. With the algorithm, motion of wrinkle lines was produced by movement of the key nodes. Consequently, wrinkle lines derived facial mesh to model expressive wrinkles.

From expressions on a 3D face model, Antini et al. [8] proposed a framework for three-dimensional face representation and matching for identification purposes. Basic traits of a face were encoded by extracting curves (wrinkles) of salient ridges and ravines from the surface of a dense mesh. A compact graph representation was then extracted from these curves through a modelling technique that was capable to quantitatively measure spatial relationships between curves in a three-dimensional space. Therefore, face recognition was obtained by matching 3D graph representations of faces.

## 3. Methodology

### 3.1 3D Face Creation

The construction of 3D face models using 2D face

photographs, such as the work in Ref. [9], has become the focus of study on 3D face modelling, in which generated textures will directly affect the sense of reality of the generated 3D face models [10] and it is indeed one of the most difficult problems in the fields of computer graphics and computer vision.

On the other hand, 3D scanners are becoming widely employed for the task of 3D face generation. However, in this work, the 3D face models are generated from the neutral face of any individual using FaceGen for its simplicity and relative low cost.

The 2D face image is marked (Fig. 1) for feature point extraction and then processed. The method is based on a 3D morphable face model that encodes shape and texture in terms of model parameters. The stages of this process are shown in Fig. 2, where the 3D face model as well as the facemask (texture) is exported.

The process of the image takes about 10-15 minutes depending on the speed of the system. The result of the 3D face model is displayed in Fig. 3, while the exported materials are shown in Fig. 4.

### 3.2 The 3D Face Mesh

The generated face models contain simple mesh; in the modelling process of wrinkles, we take into consideration the flow of the facial muscles, so that the edge loops are in the direction of the natural flow of the human muscles (as described in Fig. 5).

The 3D face has to be processed further for optimisation; this process involves increasing the mesh by adding edge loops in order to boost the smoothness of the wrinkles later in the simulation. This method might cause the program to have a slow loading time due to the addition of more geometry to the model.

An alternative method to create wrinkles can be implemented by generating a so-called normal map [11, 12]. In 3D computer graphics, normal mapping is a technique used for faking the lighting of bumps and dents. It is used to add details without using more




Fig. 1 Marked 2D face image.




Fig. 2 The process of generating and exporting the 3D face model.



Fig. 3 The 3D face model.




Fig. 4 Exported items.




Fig. 5 Facial muscle flow.

polygons, We fabricated our own normal map (an example is shown in Fig. 6); the depressions make the surface look deeper, which gives the illusion of wrinkles. In our work, accuracy and reality in terms of the wrinkle locations are top priorities; hence, using normal maps will be inadequate. For this reason, the higher resolution 3D face polygons will be used in this work despite the contingency of a slow loading time.

### 3.3 Texture Mapping

Texture mapping is the method for adding detail or colour to a computer-generated graphics or 3D models. In this section, the texture that is generated in Fig. 4 is considered using a UV space. The UV mapping is the process of texturing a 2D image on a 3D object. In contrast to X, Y and Z, which are the coordinates for the original 3D object in the modelling space, another set of coordinates is required to describe the surface of the mesh, so the letters U and V are used. The Fig. 7 shows an example of our 3D faces that is opened up to be a UV map.

The eyes are textured in the same manner but on a smaller scale. The final texturing result is presented in the Fig. 8.


### 3.4 Wrinkles Construction

The generated binary wrinkle maps are mapped on their corresponding 3D face models; Fig. 9 illustrates an example. Wrinkles are then constructed on the 3D models by the projection of the NURBS curves.


Upon the projection of the NURBS curves, the curves are modelled to enhance the look of the 3D wrinkle maps (Fig. 10). This is performed by observing the original images in order to add or fill gaps that might be presented in the binary wrinkle maps due to detection failure.



Fig. 6 Our generated normal map.



(a)



(b)

Fig. 7 (a) Our 3D face and its UV map; (b) textured 3D head model.




Fig. 8 Final texture.



Fig. 9 The binary wrinkle map is textured on the 3D face model.



Fig. 10 An enhanced 3D wrinkle map.




**Fig. 11** A comparisons between our proposed system results (on the left hand side) and FaceGen results (on the right hand side).

### 3.5 Wrinkles Simulation and Prediction

For the tasks of simulation and prediction, three elements (for any individual) are considered: the binary wrinkle map, the general development of the wrinkles over the decades and the coloured wrinkle map.

The binary map acts as a benchmark that displays the full facial wrinkles and their locations. While the coloured map will work within each age group, i.e., the wrinkles that have the highest intensity values will appear first. Finally, the findings will be displayed in a



**Fig. 12** A comparisons between generated results using a 3D face scan results (on the left hand side) and FaceGen results (on the right hand side).

form of a graph to study the behaviour of the wrinkles as age progresses.

## 4. Results

Some sample results are presented in Fig. 11 and compared to the simulation results that are generated



by the commercial software FaceGen. Our results are presented on the left hand side while FaceGen results are presented on the right hand side.

Our method not only work on the standard head models that are taken from FaceGen, but also accepts 3D face scans. Fig. 12 is generated results using a 3D face scan for Persons and also compared to the generated results from FaceGen:

## 5. Discussion and Conclusion

In this work, novel techniques were used in the tasks of facial wrinkles simulation and prediction. Various parameters were utilised in order to develop this unique facial wrinkle pattern formation system, which include the generated wrinkle maps for any given individual along with published literature on the general development of the facial wrinkles over the years.

The provided system has the privilege of using real-time data that has high potential to boost the accuracy. Moreover, the system was compared to other available popular technologies and proved competence.

In comparison to FaceGen, it was seen from their results that their system could only display common facial wrinkles; better results that from FaceGen were obtained by using the Software 'age-me'. This software uses 2D images and performs the age predictions using 2D approach. The generated wrinkles in this software do not match the actual wrinkle maps of the individuals, which shows that either some assumptions were made in the generation of wrinkles based on data estimation or wrinkles were randomly produced. Though, both cases jeopardise the accuracy of wrinkles formation.

Furthermore, the developed system has the distinctive advantage of its ability to accept standard

(mean) 3D head models as well as 3D face scans.

## References

- [1] Clement, J., and Marks, M. 2005. *Computer Graphic Facial Reconstruction*. USA: Elsevier.
- [2] April Age Progression Software, <http://www.age-me.com/> (cited 17/01/2011).
- [3] Face Gen, <http://www.facegen.com/> (cited 31/03/2010).
- [4] Yin, L., and Basu, A. 2001. "Generating Realistic Facial Expressions with Wrinkles for Model-Based Coding." *Computer Vision and Image Understanding* 84: 201-40.
- [5] Zhang, Y. 2008. "Muscle-Driven Modeling of Wrinkles for 3D Facial Expression." Presented at the IEEE International Conference on Multimedia and Expo, Hannover.
- [6] Tian, Y., Kanade, T., and Cohn, J. 2001. "Recognizing Action Units for Facial Expression Analysis." Presented at the IEEE Transactions on Pattern Analysis and Machine Intelligence.
- [7] Li, M., Yin, B., Kong, D., and Luo, X. 2007. "Modeling Expressive Wrinkles of Face for Animation." In *Proceedings of Fourth International Conference on Image and Graphics*.
- [8] Antini, G., Berretti, S., Del Bimbo, A., and Pala, P. 2006. "3D Face Identification Based on Arrangement of Salient Wrinkles." Presented at the IEEE International Conference on Multimedia and Expo, Toronto.
- [9] Lin, W., Weijun, H., Rui, C. 2010. "Three-Dimensional Reconstruction of Face Model Based on Single Photo." In *Proceedings of the International Conference on Computer Application and System Modeling*, IEEE: Taiyuan.
- [10] Wang, H., Zheng, Q., and Sun, Y. 2010. "A Method of Generating Global View Texture Images in 3D Face Modeling." Presented at the 2nd International Conference on Information Science and Engineering (ICISE), Hangzhou, China.
- [11] Cohen, J., Olano, M., and Manocha, D. 1998. "Appearance-Preserving Simplification." In *Proceedings of the 25th Annual Conference on Computer Graphics and Interactive Techniques*.
- [12] Yang, B., and Pan, Z. 2006. "A Hybrid Adaptive Normal Map Texture Compression Algorithm." In *Proceedings of the 16th International Conference on Artificial Reality and Telexistence*, IEEE: Hangzhou.